

DOUBLE ENDED INDUSTRIAL GRINDERS

BGE 150/200 BGT 200



DOUBLE ENDED INDUSTRIAL GRINDERS

BGE 150/200 BGT 200

The Ajax Arboga range of double ended bench and pedestal grinding machine are designed and built for use in industrial environments. They come with a 60 and 80 grit wheels, tool rest, eye shield and manufactured in Denmark to conform to HSE & CE requirements.

The riggers of most workshops is too much for the cheaper low quality units, so these units are stronger and of much higher quality and with a 12 months parts warranty.

Fitted with eye shields and solid adjustable tool rests available in both 150 & 200mm.



OPTIONAL ACCESSORIES

Pedestal.

Belt Grinding attachment.

Wire wheel.

Polishing mop & guard.

Dust extraction built into pedestal.

Or any combination.

12 month Parts Warranty (Wheels not included)

BGE 200 with Wire Wheel

AJAX ARBOGA BG 150 DOUBLE ENDED GRINDING MACHINE

With 150mm x 25mm Grinding wheels 3000 rpm

Grit of stones 60/80

Complete with eye shields, toolrests & guards.

Continually rated Available in:

230 Volt single phase 500 Watt

Weight 14 kg

AJAX ARBOGA BG 200 DOUBLE ENDED GRINDING MACHINE

With 200mm x 25mm Grinding wheels 3000 rpm

Grit of stones 60/80

Complete with eye shields, toolrests & guards.

Continually rated Available in:

230 Volt single phase 650 Watt

415 volt Three phase 750 watt

Weight 18.5 kg



BGE 200 with Polisher

MODEL	BGE 150	BGE 200	BGT 200
Grinding/Contact Wheel	150 x 25 60 & 80	200 x 25 60 & 80	200 x 25 60 & 80
Size (mm)	Grit	Grit	Grit
Motor power continuous	500W	650W	750W
Spindle speed (rpm)	3000	3000	3000
Weight (kg)	14	18.5	18.5
Options	Wire wheels or polishing	Wire wheels or polishing	Wire wheels or polishing
Power supply	240/1/50	240/1/50	415/3/50
Pedestals	Standard or with Extraction	Standard or with Extraction	Standard or with Extraction

TECHNICAL SPECIFICATIONS







BGE 200 on pedestal

Ajax Machine Tools International Ltd Unit 360, Ampress Lane, Ampress Park, Lymington, Hampshire, UK SO41 8JX

Telephone: +44 (0)1590 676000 Fax: +44 (0)1590 676001



